Advanced Dental Solutions



BLU Medical Instrument Co., Ltd
Add.:2/F, Yau Tak Building,
167 Lockhart Road, Wanchai, Hong Kong.

Welcome to BLU Medical Instrument co., Ltd

we are dedicated to revolutionizing the dental industry by providing advanced, high-quality dental products at prices that are accessible to all. Our company has recently established in China, our company is committed to delivering innovative solutions that meet the evolving needs of dental professionals around the world.

Our Mission

We aim to enhance the quality of dental care by offering reliable and cutting-edge products that empower dental practitioners to achieve optimal results for their patients. Quality and affordability are at the core of our business, ensuring that our customers receive exceptional value without compromise.

Our Products

Our product range includes a comprehensive selection of dental Devises, Instruments and materials, designed to support a wide array of dental procedures. Whether you're looking for precision endodontic instruments, durable restorative materials, or state-of-the-art diagnostic equipment, we have the solutions you need to elevate your practice.

Why Choose Us?

Quality Assurance: Our products are manufactured to the highest standards, ensuring reliability and performance you can trust.
Affordability: We believe that quality dental care should be accessible to everyone, which is why we offer competitive pricing without sacrificing quality.
Innovation: We are constantly exploring new technologies and materials to bring the latest advancements in denta
l care to your practice.
Customer Support: Our team is here to provide you with expert advice and support, helping you choose the right products for your needs.



Join Us on Our Journey

We invite you to explore our catalog and discover how BLU can support your practice with exceptional products that meet the highest standards of quality and affordability. Together, we can advance dental care and make a positive impact on the lives of patients around the world. Feel free to customize this introduction to better fit your company's branding and specific offerings.

Index

Introduction	1
Dental High-Speed Handpiece	2:6
Dental Low-Speed Handpiece	7:10
B-MASTER Brushless Endo Motor	11:12
Twist Apex Locator	13:14
Light Cure	15:17
B-Flex Files	18:20
HAND-USE INSTURMENTS	21:24
SCREW POSTS	25:27
Burs & Stones	28:31
Disposables	32:34

Dental
High-Speed Handpiece



High Torque Handpiece
Standard Handpiece
Fiber Optic Handpiece

High-Speed Handpiece (Titanium)

BT-004T

NON-OPTIC



Order Number: 4T001
Features:

Head size :⌀12.00 x 13.30mm
Speed 400,000 - 300,000rpm
Working Pressure 0.30 - 0.20
Titanium alloy
Ceramic berrings
Push button chuck
Integrated head
Four water spray
Micro Filtration system
Hygienic head system
Anti-back suction





Function



BT-004S

NON-OPTIC



Order Number: 4T002
Features:

Head size :⌀10.28 x 12.70mm
Speed 400,000 - 300,000rpm
Working Pressure 0.30 - 0.20
Titanium alloy
Ceramic berrings
Push button chuck
Integrated head
Four water spray
Micro Filtration system
Hygienic head system
Anti-back suction





Function



High-Speed Handpiece (Titanium)

BT-4LGT

LED

Order Number: 4GT01
Features:

Head size : ∅12.00 x 13.30mm
Speed 400,000 - 300,000rpm
Working Pressure 0.30 - 0.20
Titanium alloy
Ceramic berrings
Push button chuck
Integrated head
Four water spray
Micro Filtration system
Hygienic head system
Anti-back suction







Function



High-Speed Handpiece

BS-004T

NON-OPTIC

Order Number: 45001
Features:

Head size : ⌀12.00 x 13.30mm
Speed 400,000 - 300,000rpm
Working Pressure 0.30 - 0.20
Stainless steel Housing - Copper Body
Ceramic berrings
Push button chuck
Integrated head
Four water spray
Micro Filtration system
Hygienic head system
Anti-back suction







Function



BS-004S

NON-OPTIC

Order Number: 4S002
Features:

Head size : ⌀10.28 x 12.70mm
Speed 400,000 - 300,000rpm
Working Pressure 0.30 - 0.20
Stainless steel Housing - Copper Body
Ceramic berrings
Push button chuck
Integrated head
Four water spray
Micro Filtration system
Hygienic head system
Anti-back suction







Function



High-Speed Handpiece

BS-4LGT

LED

Order Number: 4GS01
Features:

Head size : ⌀12.00 x 13.30mm
Speed 400,000 - 300,000rpm
Working Pressure 0.30 - 0.20
Stainless steel Housing - Copper Body
Ceramic berrings
Push button chuck
Integrated head
Four water spray
Micro Filtration system
Hygienic head system
Anti-back suction







Function



Dental
Low-Speed Handpiece





External Water Spray
Internal Water Spray
Contra Angel 20:1

Low-Speed Handpiece

External Water Spray

Contra Angle:

ECA001

Features:
Max Speed: 30,000 rpm
For CA bursh (∅2:35)
Push button chuck
Hygienic head system
45 gm



Straight Handpiece:

ESA001

Features:
Max Speed: 40,000 rpm
For HP bursh (∅2:36)
Push button chuck
Hygienic head system
56 gm



Air Motor:

EAM001

Features:
2/4hole
Max Speed: 30,000 rpm
62 gm



Master Kit Air Motor Set 3pcs: CSA1001

Low-Speed Handpiece

Internal Water Spray

Contra Angle:

ICA001

Features:
Max Speed: 30,000 rpm
For CA bursh (⌀2:35)
Push button chuck
Hygienic head system
77gm



Straight Handpiece:

ISA001

Features:
Max Speed: 40,000 rpm
For HP bursh (⌀2:36)
Push button chuck
Hygienic head system
82gm



Air Motor:

IAM001

Features:
2/4hole
Max Speed: 30,000 rpm
106gm



Master Kit Air Motor Set 3pcs: ISA1001

Low-Speed Handpiece

Contra Angel 20:1

LCA001

Features:
Stainless Steel body.
Double sealing system.
Push button chuck.
Internal / External irrigation system.
Speed : 30~2000rbm
Weight 87g.





B-MASTER
Brushless
Endo Motor



360° ROTARY GEAD High-accuray
Super silent 6:1 contra-angle

BM-1001

Adjustable reciprocating angle

-Precise rotation angle,reduce the risk of needle breakage, higher preparation efficiency.Smooth,low noise and smallvibration.



High-performance brushless motor

-High precision Hall Sensor control. Large torque, high speed and fast response. More stable and accurate. Low wear. low heat and longer service life.



Software can be updated connected to computer



USA Imported chip

-Ai algorithim smooth and efficent cuuting Accurate to 1



10 times the service life of brush motor

Brushless motor → Brush motor



Unique design

-The handpiece can be placed upright or lying flaton the base.

6:1 mini contra angle provide abroader operating vision







Contra angle	6：1	Lithium battery	3.7V/1200mAh
Rotate speed	50~2000rpm	Motor	Brushless
Torque	0.6~4.0 N.cm	Screen	0.96 inch TFT color LCD
Working modes	FWD,REV,REC,ACC,ATC		

blu

Twist Apex Locator



Multi-frequency
%97.7 Accuracy
Display within 0.2 seconds

AL-1001



Imported chip

-Ai algorithm.
-Instant calibration



Intelligent connect with Endo Smart II

-Expanding while measuring.



Identify Location by Sound

-The position can be detrmined according to the volume and freuency.



Adjustable viewing angle

-Metal base Ultrathin body.



Silver,Champagne gold

-Fashion and beautiful.



New colorful screen

-Touch key.

- USA imported chip
- Suitable for all kinds of root canal
- New multi-frequency measurement technology
- 800mAh lithium battery
- 4.0 inch large and colorful display
- Volume adjustable

Technical parameter	
Battery	ICR14500,3.7V 800mAh
Power Adapter	AC100-240V,50/60Hz
Input power	5VA
Screen size	4.0 inch

Ultra Cure



Ultra Cure
Ultra Cure plus

Ultra Cure

Light Cure

UCA1001



Features:
Special lens condenser design.
Boad spectrum blue-violet light design.
suitable for most resins on the market
4pcs 12w high power LED light source
360 rotation curing head
Constant power output design
2 working modes: Strong light mode,standard mode
Time setting:
Strong light mode: 1s,3s,5s
Standard mode: 10s,20s,30s

Specification:

Charging power adapter input:	AC100 - 240v - 50Hz/60Hz
Charging power adapter input:	DC5V=1A
Internal power supply voltage:	Dcs.7v
Battery capacity:	1500mAh
Wave lenghth:	385-515nm (Broad spectrum)
Irradiance (normal mode):	>1500mW/cm^2
Irradiance (super power mode):	>2500mW/cm^2
Packing size (mm)	218 x 168 x 78
Main body weight (g)	150

Standard equipment:

main body	1pcs
Base body	1pcs
Curing body	1pcs
Filter cover	1pcs
Isolation sleeve	1pcs
Charger	1pcs
Manual	1pcs

Optional: Light guide 5pcs

Sp ectrogram



Ultra Cure Plus

Light Cure

UCB1001



Features:
Special lens condenser design.
Boad spectrum blue-violet light design.
suitable for most resins on the marker
suitable for most resins on the market
4pcs 12w high power LED light source
360 rotation curing head
Constant power output design
4 working modes: Super power, constant power, gradually strong,flash
Time setting:
Strong light mode: 1s,3s,5s
Constant power,Flash,gradually strong modes: 5s,10s,20s,25s,30s,35s,40s

Specification:

Charging power adapter input:	AC100 - 240v - 50Hz/60Hz
Charging power adapter input:	DC5V=1A
Internal power supply voltage:	Dc3.7v
Battery capacity:	2200mAh
Wave lenghth:	385-490nm (Broad spectrum)
Irradiance (normal mode):	>1500mW/cm2
Irradiance (super power mode):	>2500mW/cm2
Packing size (mm)	230 x 180 x 63
Main body weight (g)	150

Standard equipment:

main body	1pcs
Base body	1pcs
Curing body	1pcs
Filter cover	1pcs
Isolation sleeve	1pcs
Charger	1pcs
Manual	1pcs

Spectrogram



B-Flex Files



Gold
Blue
Kids
Retreatment

B-Flex Rcs Gold Rotary File.



Features:
Extremely Flexible.
Suitable for all root canal treatment.
including very curved canal.
Traditional six files system.easy to operate.
6Pcs/Blister

• Triangle cross section	• Speed&Torque 350RPM/2.0N

Size	1708	1303	2004	2504	3004	3504
Product						
21mm 25mm 31mm	G01-SEP					
Assorted	G01-ASS					

B-Flex Rcs BLUE Rotary File

Features:
Control Meamory.
The perfect combination of resistance to cyclic fatigue and cutting efficiency
6Pcs/Blister



• Triangle cross section	• Speed&Torque 350RPM/2.0N

Size	1708	1805	2004	2506	3004	3504
Product						
21mm 25mm 31mm	B01-SEP					
Assorted	B01-ASS					

B-Flex Rcs Kids File.



Features:
Super Flexible.
Short Length design is more suitable for use on children.
Improved cutting efficiency and resistancs of cyclic fatigue.

Size	1708	2004	2504	3004
Product				
Length	10mm	16mm	16mm	16mm
Order Number	K10-1708	K16-2004	K16-2504	K16-3004
Assorted	k01-ASS			

• Triangle cross section 	• Speed&Torque 350RPM/2.0N 

B-Flex Rcs Retreatment File.



Features:
High shaping to remove gutta-percha and paste fillers fast.
5 sizes to meet all retreatment needs.

Size	1005	1506	2007	2508	3009
Product					
Length	16mm	18mm	22mm	18mm	16mm
Order Number	R16-1005	R18-1506	R22-2007	R18-2508	R16-3009
Assorted	R01-ASS				

• Rhombus cross section 	• Speed&Torque 350RPM/2.0N 

HAND-USE INSTURMENTS



K-FILES
H-FILES
SPREADERS
PESSO REAMERS
GATE DRILLS

HAND-USE INSTURMENTS

K-FILES



Made of premium Quality Stainless Steel Material.
High Cutting Efficiency.
6pcs/box

size	08	10	15	20	25	30	35	40	Ass 40-15	Ass 80-45
Order Number	BKN08	BKN 10	BKN 15	BKN20	BKN25	BKN30	BKN35	BKN40	BKN01	BKN02
Length	25MM									

size	08	10	15	20	25	30	35	40	Ass 40-15	Ass 80-45
Order Number	BKS08	BKS 10	BKS 15	BKS 20	BKS 25	BKS 30	BKS 35	BKS40	BKS 01	BKS 02
Length	21MM									

size	08	10	15	20	25	30	35	40	Ass 40-15	Ass 80-45
Order Number	BKL08	BKL10	BKL 15	BKL 20	BKL 25	BKL 30	BKL 35	BKL40	BKL 01	BKL02
Length	31MM									

H-FILES



Made of premium Quality Stainless Steel/Niti Material.
High Cutting Efficiency.
Flexible & Durable
6pcs/box.

size	08	10	15	20	25	30	35	40	Ass 40-15	Ass 80-45
Order Number	BHN08	BHN 10	BHN 15	BHN20	BHN25	BHN30	BHN35	BHN40	BHN01	BHN02
Length	25MM									

size	08	10	15	20	25	30	35	40	Ass 40-15	Ass 80-45
Order Number	BHS08	BHS 10	BHS 15	BHS 20	BHS 25	BHS 30	BHS 35	BHS40	BHS 01	BHS 02
Length	21MM									

size	08	10	15	20	25	30	35	40	Ass 40-15	Ass 80-45
Order Number	BHL 08	BHL 10	BHL15	BHL 20	BHL 25	BHL 30	BHL 35	BHL40	BHL 01	BHL 02
Length	31MM									

HAND-USE INSTURMENTS

SPREADERS



Made of premium Quality Stainless Steel / Niti Material.
High Cutting Efficiency
Extremely Strong,Flexible & Durable.
6pcs/box

size	08	10	15	20	25	30	35	40	Ass 40-15	Ass 40-15
Order Number	BSN08	BSN10	BSN15	BSN20	BSN25	BSN30	BSN35	BSN40	BSN01	BSN02
Length	25MM									

size	Ass 40-15	Ass 40-15
Order Number	BSS01	BSS02
Length	21MM	

size	Ass 40-15	Ass 40-15
Order Number	BSL01	BSL02
Length	31MM	

Pesso Reamers



Made of premium Quality Stainless Steel Material.
High Cutting Efficiency & Tringle cross section.
Extremely Strong.Flexible & Durable.
6pcs/box.

Size	1(0.7mm)	2(0.9mm)	3(1.1mm)	4(1.3mm)	5(1.5mm)	6(1.7mm)	Ass1-6
Order number	GPS01	GPS02	GPS03	GPS04	GPS05	GPS05	GPS16
Length	28MM						

Size	1(0.7mm)	2(0.9mm)	3(1.1mm)	4(1.3mm)	5(1.5mm)	6(1.7mm)	Ass1-6
Order number	GPL01	GPL02	GPL03	GPL04	GPL05	GPL05	GPL06
Length	32MM						

HAND-USE INSTURMENTS

GATE DRILLS

Made of premium Quality Stainless Steel Material.
High Cutting Efficiency & Triangle cross section.
Extremely Strong,Flexible & Durable.
6pcs/box



Size	1(0.5mm)	2(0.7 mm)	3(0.9mm)	4(1.1 mm)	5(1.3mm)	6(1.5 mm)	Ass 1-6
Order number	GDS01	GDS02	GDS03	GDS04	GDS05	GDS06	GDS16
Length	28MM						

Size	1(0.5mm)	2(0.7 mm)	3(0.9mm)	4(1.1 mm)	5(1.3mm)	6(1.5 mm)	Ass 1-6
Order number	GDL01	GDL02	GDL03	GDL04	GDL05	GDL06	GDL16
Length	32MM						











SCREW POSTS





Gold Plated Screws
Titanium Screws

SCREW POSTS

Dental Gold Plated Cross Head.

High quality precision finish in a special lead free alloy, conical shaped.
Thread made similar to that of a modern self-tapping screw.
Gold plated screw posts electrolytically plated with a thick layer of 24 K gold.





Short	Order Number
REFILL S1 12pcs/box	BRS01
REFILL S2 12pcs/box	BRS02
REFILL S3 12pcs/box	BRS03
REFILL S4 12pcs/box	BRS04
REFILL S5 12pcs/box	BRS05
REFILL S6 12pcs/box	BRS06

Medium	Order Number
REFILL M1 12pcs/box	BRM01
REFILL M2 12pcs/box	BRM02
REFILL M3 12pcs/box	BRM03
REFILL M4 12pcs/box	BRM04
REFILL M5 12pcs/box	BRM05
REFILL M6 12pcs/box	BRM06

Long	Order Number
REFILL L1 12pcs/box	BRL01
REFILL L2 12pcs/box	BRL02
REFILL L3 12pcs/box	BRL03
REFILL L4 12pcs/box	BRL04
REFILL L5 12pcs/box	BRL05
REFILL L6 12pcs/box	BRL06

Master kit 240pcs / box BGS01

SCREW POSTS

Dental Titanium Cross Head

Made of high pure titanium, taper of 8%, including 7 sizes which can be used to most root canals.





Short	Order Number
REFILL S1 12pcs/box	BTS01
REFILL S2 12pcs/box	BTS02
REFILL S3 12pcs/box	BTS03
REFILL S4 12pcs/box	BTS04
REFILL S5 12pcs/box	BTS05
REFILL S6 12pcs/box	BTS06

Medium	Order Number
REFILL M1 12pcs/box	BTM01
REFILL M2 12pcs/box	BTM02
REFILL M3 12pcs/box	BTM03
REFILL M4 12pcs/box	BTM04
REFILL M5 12pcs/box	BTM05
REFILL M6 12pcs/box	BTM06

Long	Order Number
REFILL L1 12pcs/box	BTL01
REFILL L2 12pcs/box	BTL02
REFILL L3 12pcs/box	BTL03
REFILL L4 12pcs/box	BTL04
REFILL L5 12pcs/box	BTL05
REFILL L6 12pcs/box	BTL06

Master kit 240pcs / box BTS01

Burs & Stones



Diamond Burs
Carbide Burs
Surgical Burs
Ceramic Grinders

Diamond Burs

Blu diamond burs are available in a wide range of sizes and grits, for every procedure. They are manufactured to the highest international standards, using the best quality materials.
Each bur is microscopically tested to ensure that it is 100% controlled.

Top quality materials. Swiss-made steel blanks, hardened, turned, and ground.
Specially-made mix of natural diamond grits.
Over 100 shapes and sizes in a wide range of grits
Manufactured under the highest international standards, with each bur microscopically tested to ensure 100% control.



Standard				
	ISO 002/018 2.4/19.1	ISO 002/016 3.6/19.1	2.5/19.1	ISO 002/012 2.6/19.1
	BC-31	BC-32	BC-42	BC-43

ISO 001/018 1.6/19.1	ISO 001/014 1.3/19.1	ISO 001/010 0.9/19.1	ISO 001/012 1.1/19.1	ISO 001/008 0.7/19.0	ISO 032/011 2.4/19.1	ISO 032/014 3.3/19.1	ISO 039/032 5.0/19.1	ISO 039/035 7.2/20.1	★ ISO 553/019 10.4/23.2	ISO 237/018 5.2/19.1
BR-31	BR-41	BR-45	BR-46	BR-49	DI-41	DI-42	EX-11	EX-12	RS-11	EX-20

ISO 237/021 5.2/19.0	ISO 190/017 10.1/24.0	ISO 239/032 5.0/19.0	★ ISO 545/018 7.2/21.2	ISO 237/014 4.3/19.1	★ ISO 544/019 4.4/19.2	ISO 237/014 3.1/19.1	ISO 299/014 10.2/24.1	ISO 297/014 7.2/21.1	ISO 288/016 7.2/21.1	ISO 257/028 5.0/19.1
EX-21	EX-24	EX-26	RS-21	EX-31	RS-31	EX-41	FO-11	FO-21	FO-22	FO-25

ISO 257/032 5.0/19.1	ISO 257/018 3.9/19.7	ISO 111/012 8.2/22.1	ISO 111/014 8.2/22.0	ISO 111/016 8.2/22.1	ISO 110/014 7.2/21.0	ISO 109/013 4.7/19.1	ISO 109/011 4.3/19.0	ISO 010/013 1.4/19.0	ISO 010/015 1.8/19.0	ISO 010/017 1.9/19.0
FO-27	FO-32	SF-11	SF-12	SF-13	SF-21	SF-31	SF-41	SI-46	SI-47	SI-48

 ISO 297/012 6.2/21.0	 ISO 298/014 8.2/21.8	 ISO 141/012 8.2/22.2	 ISO 141/014 8.2/22.2	 ISO 141/016 8.2/22.2	 ISO 166/016 10.2/22.0	 ISO 166/018 10.4/23.2	ISO 165/014 8.2/22.0	ISO 164/011 6.1/21.2	 ISO 173/014 10.2/24.0	ISO 173/016 10.2/21.8
SO-20	SO-21	SR-11	SR-12	SR-13	TC-11	TC-16	TC-21	TC-26	TF-11	TF-12

 ISO 173/018 10.2/21.8	 ISO 172/023 9.3/21.8	 ISO 171/014 7.2/21.0	 ISO 171/016 7.2/21.0	 ISO 170/021 5.5/19.0	 ISO 170/018 5.2/20.1	 ISO 170/016 4.2/19.0	ISO 169/011 3.7/19.1	ISO 170/012 4.2/19.0	ISO 170/014 4.2/19.0	 ISO 199/016 10.2/21.8
TF-13	TF-14	TF-20	TF-21	TF-22	TF-23	TF-31	TF-41	TF-42	TF-43	TR-11

 ISO 199/016 10.2/21.8	 ISO 198/018 9.2/21.8	 ISO 198/022 9.3/22.0	 ISO 199/022 11.4/23.8	 ISO 199/023 11.4/23.8	 ISO 197/014 7.2/21.0	ISO 197/016 7.2/21.1	ISO 197/018 7.2/21.2	 ISO 199/016 10.2/21.7	 ISO 198/018 9.2/21.8	ISO 041/024 0.6/19.2
TR-12	TR-13	TR-14	TR-15	TR-19	TR-20	TR-21	TR-24	TR-25	TR-26	WF-30

 ISO 072/042 1.9/19.1	Short Shank	 ISO 002/014 2.5/16.7	 ISO 002/012 2.6/16.7	 ISO 001/010 0.9/16.7	 ISO 001/012 1.1/16.7	 ISO 032/011 2.4/17.2	ISO 297/014 7.2/18.2	ISO 508/019 9.6/20.0	ISO 001/008 1.0/17.1	ISO 277/024 4.8/17.1
WR-13		BC-S42	BC-S43	BR-S45	BR-S46	DI-S41	FO-S21	FO-S54	MI-S45	Pro-S3

ISO 109/011 3.8/16.7	ISO 010/013 1.4/16.6	ISO 010/017 1.9/16.6	ISO 297/012 6.2/18.8	ISO 165/014 8.2/20.0	ISO 173/016 10.3/21.2	ISO 171/014 7.2/18.8	ISO 171/016 7.2/18.8	ISO 170/021 5.5/16.9	ISO 170/018 5.2/17.1	ISO 170/016 4.2/16.8
SF-S41	SI-S46	SI-S48	SO-S20	TC-S21	TF-S12	TF-S20	TF-S21	TF-S22	TF-S23	TF-S31

ISO 169/011 3.7/16.8	ISO 299/018 9.6/20.9	ISO 198/022 9.3/20.1	ISO 197/016 7.2/18.8	Super Short Shank	ISO 138/009 2.3/16.1	ISO 032/011 2.4/14.5	ISO 297/014 6.1/16.1	ISO 197/015 6.1/16.1	★ ISO 544/016 4.2/14.3	★ ISO 544/019 4.5/16.1
TF-S41	TR-S13	TR-S14	TR-S21		CD-SS51	DI-SS41	EX-SS13	EX-SS14	EX-SS33	RS-SS31

ISO 165/014 8.2/17.1	ISO 170/016 4.2/14.3	ISO 197/016 7.2/17.7	Fine	ISO 001/006 0.5/19.0	ISO 001/006 0.6/16.7	ISO 138/007 2.2/16.7	ISO 139/007 3.8/16.7	ISO 539/007 2.2/16.7	ISO 295/007 2.2/16.7	ISO 277/008 1.2/16.7
TC-SS21	TF-SS31	TR-SS21		BR-48F	CD-50F	CD-51F	CD-52F	CD-53F	CD-54F	CD-55F

ISO 295/007 2.2/16.7	ISO 295/007 3.6/16.7	ISO 156/009 3.2/16.2	ISO 197/013 6.9/16.7	ISO 138/007 2.2/19.0	ISO 139/007 3.8/19.0	ISO 156/009 3.2/19.0	★ ISO 546/021 9.1/21.7	★ ISO 544/020 5.3/18.9	ISO 54/027 4.8/20.6	ISO 198/017 9.1/21.7
CD-56F	CD-57F	CD-58F	CD-59F	CD-60F	CD-61F	CD-62F	CE-12F	CE-13F	CE-15F	CE-16F

FG CARBIDE BURS

FEATURES

BLU carbide burs feature high quality tungsten carbide tips that are brazed onto the neck of a stainless steel shank.
This increased strength and high concentricity of the shank ensures an even tooth preparation.
BLU carbide burs are designed to cut sharper angles with greater blade contact on the tooth surface.
Complying with international standards, JP burs are manufactured to strict tolerances, eliminating any defects.
BLU burs are made from high grade, fine grain tungsten carbide, crafted to resist wear, chipping and breakage.



ROUND



Size	1/4	1/2	1	2	3	4	5	6	7	8
Order NO	BC025	BC050	BC001	BC002	BC003	BC004	BC005	BC006	BC007	BC008

INVERTED CONE



Size	33 1/2	34	35	36	37
Order NO	BC033	BC034	BC035	BC036	BC037

TAPER FISSURE



Size	169L	170	171	172	M15EZ	M14CF	699	700	701	701X	701L	702	703
Order NO	BC169L	BC170	BC171	BC172	BCM15EZ	BCM14CF	BC699	BC700	BC701	BC701X	BC701L	BC702	BC703

PEAR /AMALGAM PREP.



Size	245	330	331	332	330P	1931
Order NO	BC245	BC330	BC331	BC332	BC330P	BC1931

STRAIGHT FISSURE



Size	57	58	557	558	559	560	1957
Order NO	BC57	BC58	BC57	BC558	BC559	BC560	BC1957

ROUND END STRAIGHT FISSURE



Size	1157	1158	1159	1557	1558	1559	1958	M21DC
Order NO	BC1157	BC1158	BC1159	BC1557	BC1558	BC1559	BC1958	BCM21DC

FINISHING



Size	7901	7902	7903	7408
Order NO	BC7901	BC7902	BC7903	BC7408

Illustrations not actual size



Maximum Allowable Speed

300,000 min^{-1}
200,000 min^{-1}
150,000 min^{-1}

ROUND END TAPER FISSURE



Size	1970	M15ZB	M16DB	M23DC	CE/4CF
Order NO	BC1970	BCM15ZB	BCM16B	BCM23DC	BC01/4CF

Surgical Burs



5L	6L	7L	57L	58L
5L	6L	7L	57L	58L

WHITE CERMAIC GRINDER

Cone/Flame/Round shape
Aluminum Oxide
Recommended R.P.M: 7,000-10,000/min
Special for dental clinic metal,resin and porcelain
12pcs / pack

CONE	WCG01
FLAME	WCG02
ROUND	WCG03





Disposables



Irrigation Needles
Articulating papers
Nylon Polishing Brushes
Flax Polishing Brushes

Disposables

Irrigation Needles

Dental Endo Irrigation Needle Tip End Closed 1 side Vented for irrigation and Choles canals pockets and fistulas.



Non-Sterile: 100Vpcs/box

23G	BIN23
27G	BIN27
30G	BIN30

Articulating papers

Used to identify contact points between the maxillary and mandibular teeth during all forms of natural tooth occlusal adjustments and dental insertions.

Straight Type 12pcs/box

BAP00



Disposables

Nylon Polishing Brushes

Used for stain removal and polishing. Prepares surface for sealant and orthodontic rocedures.



Length: 24mm
Shank diameter: 2.35mm
Material: White Nylon
100 pcs/box

NB001

Flax Polishing Brushes

Polishers that work fast to help you create a glossy shine.



100pcs/box

FB001





BLU Medical Instrument Co., Ltd
Add.:2/F, Yau Tak Building,
167 Lockhart Road, Wanchai, Hong Kong.